

AS 1200 – Battery spray blower

Thanks to air support: Spray effectively and efficiently

The AS 1200 spray blower can be connected to the with the Birchmeier REC 15 PC1 to allow spraying with even greater efficiency and reach.

The new technology from Birchmeier allows for impressively quiet spraying with a pressure-controlled liquid supply in an air stream. A minimum loss of spray solution and a long reach is the result. The air stream also causes the targeted areas accurate and efficient application. The spray blower is extremely powerful, easy to operate.

The AS 1200, powered by an additional battery, is combined with a sprayer from the «Accu-Power» line.



Made in Switzerland

New: 50%
more efficient




SPEEDCRETE™
PROFESSIONAL CONSTRUCTION EQUIPMENT

www.speedcrete.co.uk
Tel: 01722 416 196

**Recommended
compatibility with the
REC 15PC1**




Also compatible...




www.speedcrete.co.uk
Tel: 01722 416 196

AS 1200 spray blower including battery, charger and battery carrier unit

Range depending on the fan speed



Duration of use AS 1200







AS 1200 AC1
Art.No.12129001

Technical Specifications

Volume flow	Max. 1200 m ³ /h
Blowing force	Max. 19 N
Range	1 – 13 m
Airspeed levels	1 – 5, plus turbo level (max.)
Airspeed	Up to 65 m/s
Pressure range	0.5 – 10 bar
Battery	LiHD 2 x 18 V / 10.0 Ah (360 Wh)
Battery running time	25 min to max. 6 h (Blower level 1 – 5)
Battery charging time	70 min
Life span battery	Up to 1000 charging cycles
Weight	3.5 kg
Dimension (L x W x H)	464 x 160 x 304 mm


Nozzle flow rates

Nozzles	1 – 10 bar
 AITXA 8001 VK Art.No. 12049601	0.23 – 0.72 l/min
 AITXA 8002 VK Art.No. 12049701	0.46 – 1.44 l/min
 AITXA 8003 VK Art.No. 12049801	0.68 – 2.16 l/min
Optional disinfection nozzle	1 – 10 bar
 Special nozzle NF 125 Art.No. 12094201	0.07 – 0.19 l/min (ca. 60 – 70 µm)

¹ Charger ASC 145 DUO



www.speedcrete.co.uk
Tel: 01722 416 196




Makes work easier

With pressure-controlled pre-spraying and an adjustable air stream, the AS 1200 achieves a maximum liquid transportation over the required distance.

The AS 1200 gives you the desired reach on the concrete.

- Adjustable air stream
- Specified pre-spraying
- Configurable flow rate
- Evenly distributed droplet spectrum
- Optimum target penetration
- High level of target area efficiency
- Improved use of active ingredients

AS 1200 spray blower including battery, charger and battery carrier unit



www.speedcrete.co.uk
Tel: 01722 416 196