


## Agricultural Rollers / Textured Floats

Speedcrete manufacture and supply textured finishing floats and rollers specially designed to produce concrete flooring fit for agricultural environments. These products create concrete surfaces which support the stability and drainage requirements for livestock.



This Document includes...

Agri-Groove Floats



Hex-Rollers



Grid-Rollers



## Create a slip resistant surface for livestock areas.


The Hex-Roller imprints a deep pattern which allows for easy run off of liquids and maximum grip in any direction. Use the Hex-Roller on poured concrete, quickly and easily. This light-weight roller and Aluminum frame weighs on 14kg making transportation easy.

### Hexagon Roller




**Product Code: HEXROLLER**


### Interesting Features



The Hex-Roller was designed to ergonomically give livestock the correct grip required to prevent slipping and subsequent injuries.



The Hex-Roller has can be filled with water to add the required weight for your imprint. This feature also allows the roller to be kept light-weight in transit.



Flip the frame to allow a free-standing position which allows the Hex-Roller to be cleaned with ease. A liquid release product is typically used for this purpose and can be found on the Speedcrete website. Permacolour™ Liquid Release. Product Code: LR.



## Light Weight Hexagon Rollers

The Hex-Rollers on this page are hollowed out. With less weight than the HEXROLLER on the previous page these rollers can get on the concrete earlier. These rollers can be weighted if required.



### Pointed Hexagon Spacing.

The pointed hexagon will give you a tighter spacing between each hexagon shape than the flat hexagon roller.





**Product Code:** RHP



### Flat Hexagon Spacing.

The flat hexagon will give you 20mm spacing between each hexagon shape.

**Product Code:** RHF



# ROLLER GRID 2



## Light Weight Hexagon Rollers

The Roller Grid 2 is used to create a durable surface in yard environments and is particularly good at creating a non-slip surface in agricultural yards and livestock sheds.



This 4ft wide roller creates a repeated square pattern in concrete which produces a durable non slip finish floor. The frame allows this piece of equipment to be easily cleaned after usage.

**Product Code: RG2**





## Agri-Groove Float



### Improving livestock confidence and safety.

Argi-Groove Float was primarily designed for finishing concrete pours in dairy parlours and stalls.

This unique method of grooving cuts the grooves 20mm deep – 10mm or 20mm wide slots which allows fluid to drain off the slat leaving less material on the surface between the cow hoof and the concrete to cause slipping. This floating method gives longevity in environments where mechanical cleaners and scrapers are utilized.

Part No.	Blade Size	Groove Spacing
AG10-900	900mm	10mm
AG20-900	900mm	20mm
AG10-1200	1200mm	10mm
AG20-1200	1200mm	20mm

Add 'K' to stock code to include Knucklehead Gearbox



Knucklehead Gearbox, an optional extra.



Snap Handles can be purchased from this website.



### Agricultural Touch Up Single 20mm Groover

In addition to the Argi-Groove Floats above, we also supply a hand tool which incorporates one groove blade. This can be a handy tool to have for adding grooves in areas that the large multi-groove will not fit.

Product Code: AG20-1



**SPEEDCRETE**<sup>™</sup>  
PROFESSIONAL CONSTRUCTION EQUIPMENT

Agricultural solutions since 1982



Salisbury 01722 416 196  
Stafford 01785 332 891

Kings Lynn 01553 829 530  
Scotland 0141 849 0077



[www.speedcrete.co.uk](http://www.speedcrete.co.uk)  
[sales@speedcrete.co.uk](mailto:sales@speedcrete.co.uk)